

Use Of Probability Distribution In Rainfall Analysis

The log-logistic distribution is the probability distribution of a random variable whose logarithm has a logistic distribution.

Exponential distribution In addition to being used for the analysis of Poisson point processes it is found in various other contexts. It is a particular case of the gamma distribution. e. It is the continuous analogue of the geometric distribution, and it has the key property of being memoryless. In probability theory and statistics, the exponential distribution or negative exponential distribution is the probability distribution of the distance between events in a Poisson point process, i. , a process in which events occur continuously and independently at a constant average rate; the distance parameter could be any meaningful one-dimensional measure of the process, such as time between production errors, or length along a roll of fabric in the weaving manufacturing process

The Pareto principle or "80:20 rule" stating that 80% of outcomes are due to 20% of causes was named in honour of Pareto, but the concepts are distinct, and only Pareto distributions with shape value (?) of $\log 4/5 \approx 1.16$ precisely reflect it. Empirical observation has shown that this 80:20 distribution fits a wide range of cases... In distribution fitting, therefore, one needs to select a distribution that suits the data well.

Cumulative frequency analysis be used as a probability distribution for fitting. The phenomenon may be time- or space-dependent. Probability Cumulative frequency analysis is the analysis of the frequency of occurrence of values of a phenomenon less than a reference value. Cumulative frequency is also called frequency of non-exceedance. A sample of probability distributions that may be used can be found in probability distributions

It is similar in shape to the log-normal distribution... This distribution might be used to represent the distribution of the maximum level of a river in a particular year if there was a list of maximum values for the past ten years. It is useful in predicting the chance that an extreme earthquake, flood or other natural disaster will occur. The potential applicability of the Gumbel distribution to represent the distribution of maxima relates to extreme value theory, which indicates that it is likely to be useful if the distribution of the underlying sample data is of the normal or exponential type.

Pareto distribution Pareto distribution, named after the Italian civil engineer, economist, and sociologist Vilfredo Pareto, is a power-law probability distribution that is The Pareto distribution, named after the Italian civil engineer, economist, and sociologist Vilfredo Pareto, is a power-law probability distribution that is used in description of social, quality control, scientific, geophysical, actuarial, and many other types of observable phenomena; the principle originally applied to describing the distribution of wealth in a society, fitting the trend that a large portion of wealth is held by a small fraction of the population

This statistical technique can be used to see how likely an event like a flood is going to happen again in a certain time frame in the future, based on how often it happened in the past. It can be adapted to bring in things like climate change causing wetter winters and... The Gumbel... Cumulative frequency analysis is performed to obtain insight into how often a certain phenomenon (feature) is below a certain value. This may help in describing or explaining a situation in which the phenomenon is involved, or in planning interventions, for example in flood protection. The exponential distribution is not the...

Probability distribution fitting Probability distribution fitting or simply distribution fitting is the fitting of a probability distribution to a series of data concerning the repeated Probability distribution

fitting or simply distribution fitting is the fitting of a probability distribution to a series of data concerning the repeated measurement of a variable phenomenon

Kumaraswamy distribution In this first article of the distribution, the natural lower bound of zero for rainfall was modelled using a discrete probability, as rainfall in many places, especially in tropics, has significant nonzero probability. It is similar to the beta distribution, but much simpler to use especially in simulation studies since its probability density function, cumulative distribution function and quantile functions can be expressed in closed form. This was. This discrete probability is now called zero-inflation. This distribution was originally proposed by Poondi Kumaraswamy for variables that are lower and upper bounded with a zero-inflation. In this first article of the distribution, the natural lower bound of zero for rainfall was modelled using a discrete probability, as rainfall in many In probability and statistics, the Kumaraswamy's double bounded distribution is a family of continuous probability distributions defined on the interval (0,1)

(
Normal distribution The general form of its probability density function is. In probability theory and statistics, a normal distribution or Gaussian distribution is a type of continuous probability distribution for a real-valued In probability theory and statistics, a normal distribution or Gaussian distribution is a type of continuous probability distribution for a real-valued random variable

?
Logistic distribution Its cumulative distribution function is the logistic function, which appears in logistic regression and feedforward neural networks. In probability theory and statistics, the logistic distribution is a continuous probability distribution. It resembles the normal distribution in shape but has heavier tails (higher kurtosis). Its cumulative distribution function is the In probability theory and statistics, the logistic distribution is a continuous probability distribution. The logistic distribution is a special case of the Tukey lambda distribution

(
Log-logistic distribution It has also been used in hydrology to model stream flow and precipitation, in economics as a simple model of the distribution of wealth or income, and in networking to model the transmission times of data considering both the network and the software. In probability and statistics, the log-logistic distribution (known as the Fisk distribution in economics) is a continuous probability distribution for In probability and statistics, the log-logistic distribution (known as the Fisk distribution in economics) is a continuous probability distribution for a non-negative random variable. It is used in survival analysis as a parametric model for events whose rate increases initially and decreases later, as, for example, mortality rate from cancer following diagnosis or treatment

Gumbel distribution In probability theory and statistics, the Gumbel distribution (also known as the type-I generalized extreme value distribution) is used to model the distribution In probability theory and statistics, the Gumbel distribution (also known as the type-I generalized extreme value distribution) is used to model the distribution of the maximum (or the minimum) of a number of samples of various distributions

The aim of distribution fitting is to predict the probability or to forecast the frequency of occurrence of the magnitude of the phenomenon in a certain interval.
Compound Poisson distribution In probability theory, a compound Poisson distribution is the probability distribution of the sum of a number of independent identically-distributed random In probability theory, a compound Poisson distribution is the probability distribution of the sum of a number of independent identically-distributed random variables, where the number of terms to be added is itself a Poisson-distributed variable. The result can be either a continuous or a discrete distribution

There are many probability distributions (see list of probability distributions) of which some can be fitted more closely to the observed frequency of the data than others, depending on the characteristics of the phenomenon and of the distribution. The distribution giving a close fit is

supposed to lead to good predictions. 8a87af88ea

https://ikere-west.mlga.ek.gov.ng/PPT/144657/567L3Z2/exe/dream_wish.pdf

https://ikere-west.mlga.ek.gov.ng/EBOOK/144657/7046I5X/exe/happy__birthday-martin-luther-king__jr-scholastic_bookshelf.pdf

https://ikere-west.mlga.ek.gov.ng/PLAY/kw/66W9K98/link/the_lion_and-the-bird.pdf

https://ikere-west.mlga.ek.gov.ng/EPDF/ag/A42242885G260724/dl/dk__reader-level__2-wws-sheamus__wwe-dk-readers__level-2.pdf

https://ikere-west.mlga.ek.gov.ng/TXT/oo242607/O87635148O144657/file/if-you_give_a-pig-a__pancake.pdf

https://ikere-west.mlga.ek.gov.ng/BOOK/ga/G95285A049260724/visit/carry_on_mr-bowditch.pdf

https://ikere-west.mlga.ek.gov.ng/TXT/144657/7421W0A/slug/the_jungle_book__a__pop-up_adventure-classic__collectible_pop__ups.pdf

<https://ikere-west.mlga.ek.gov.ng/MD/144657/F43U467849/link/it->

[s_a__good__thing_there_are__ladybugs-rookie__read_about_science.pdf](https://ikere-west.mlga.ek.gov.ng/MD/144657/F43U467849/link/it-s_a__good__thing_there_are__ladybugs-rookie__read_about_science.pdf)

https://ikere-west.mlga.ek.gov.ng/CHAPTER/9118HK4257/5382HK8/go/bee-a_peek_through__picture-book.pdf

<https://ikere->

[west.mlga.ek.gov.ng/TXT/ym/93363MY/niche/disney__bunnies__thumper__and__the_noisy_ducky.pdf](https://ikere-west.mlga.ek.gov.ng/TXT/ym/93363MY/niche/disney__bunnies__thumper__and__the_noisy_ducky.pdf)

https://ikere-west.mlga.ek.gov.ng/EPDF/144657/66828YC/list/d__l-moody__bringing_souls__to-christ__christian_heroes-then_and__now.pdf

https://ikere-west.mlga.ek.gov.ng/EBOOK/yi/52976IY/mirror/daniel-tiger__ready__to__read-value-pack_thank__you-day__friends_help__each__other-daniel-plays-ball__daniel_goes__out-for-dinner-daniel-feels_left_out__the__library__daniel_tiger-s-neighborhood.pdf

https://ikere-west.mlga.ek.gov.ng/PAGE/969S8H1/144657240726/file/hoppity__hop-peekaboo.pdf